

Message

From: Behl, Betsy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D17D5A871E0244869EA996A9DE657BCF-BETSY BEHL]
Sent: 6/29/2022 5:56:02 PM
To: Gallagher, Kathryn [Gallagher.Kathryn@epa.gov]
Subject: RE: End of ND meeting

Thanks for that reminder. I will look for it

Elizabeth (Betsy) Behl, Director Health and Ecological Criteria Division,
Office of Science and Technology, Office of Water, EPA
Office: 202-566-0788
Cell: 202-251-4747

From: Gallagher, Kathryn <Gallagher.Kathryn@epa.gov>
Sent: Wednesday, June 29, 2022 11:12 AM
To: Behl, Betsy <Behl.Betsy@epa.gov>
Subject: FW: End of ND meeting

FYI, for ND Hg, review period for DD's end July 11.

Kathryn Gallagher, Ph.D., Branch Chief, Ecological Risk Assessment Branch
Health and Ecological Criteria Division/Office of Science and Technology/Office of Water/US EPA
gallagher.kathryn@epa.gov, 202-320-7446

From: Fleisig, Erica <Fleisig.Erica@epa.gov>
Sent: Wednesday, June 29, 2022 11:06 AM
To: Hisel-Mccoy, Sara <Hisel-McCoy.Sara@epa.gov>
Cc: Keating, Jim <Keating.Jim@epa.gov>; Sengco, Mario <Sengco.Mario@epa.gov>; Gallagher, Kathryn <Gallagher.Kathryn@epa.gov>; Glazer, Thomas <glazer.thomas@epa.gov>; McConkey, Diane <Mcconkey.Diane@epa.gov>
Subject: End of ND meeting

We'll take until tomorrow afternoon to make the edits we discussed today. You and Betsy will then have until COB Monday 7/11. Then R8 will take it from there and get it to Darcy and move for signature by 7/15.

Erica Fleisig
Team Leader, Regional Water Quality Standards Branch
Office of Science and Technology, U.S. EPA
(202) 566-1057